










Essential Networking Solution

The LaCie d2 Network 2 offers professional, reliable, central storage for instantly storing, sharing, and backing up from any PC or Mac® on your network, and best of all, it's fully compatible with Windows®, Mac, and Linux operating systems. Manage your home or small office network easily with this full-featured file server, recommended for networks with up to 200 users. The d2 Network 2 is perfectly suited for quiet environments or for professional IT server rooms thanks to its 19" rackmount capability.**






Simple, User-Friendly Administration

With the d2 Network 2's new widget-based dynamic web interface, administration is easy, convenient and secure. Thanks to DHCP and Apipa support, network configuration is fast and automatic. The product integrates easily with existing Windows domains using Active Directory and it allows user, groups, share and quota management. Access to administration pages and shares is easy using LaCie Network Assistant and, on top of that, it can provide its administrator notifications via email of events like backup, disk failure, high temperature, etc.

A Complete Backup Solution


Get extra security and increase data portability by backing up your LaCie d2 Network 2—on your own schedule—to an external hard drive through its USB and eSATA ports using the built-in copy system. The LaCie d2 Network 2 also comes with Genie® Backup Manager Pro™ for Windows and Intego® Backup Manager Pro™ for Mac to install on each PC/Mac for client backups to the NAS. This software lets you reliably and efficiently back up your documents, emails, settings, or other digital assets; it supports compressed, encrypted, or image backups and initiates a computer recovery program in case of general crash. Also, the LaCie d2 Network 2 is compatible with Mac OS X v10.5 Leopard, including Time Machine®, making it an ideal partner for your Mac.




- Fast access to your NAS—performance up to 68 MB/s*
- Complete backup solution for data integrity
- Advanced power management options
- Dynamic DNS remote access

USB Direct Connection

You can connect your d2 Network 2 directly to your computer through a USB cable to access a dedicated USBShare folder of up to 500GB like a normal external hard drive. This unique feature allows you to gain extra flexibility and mobility for customized usage. So you'll be able to format this USBShare in your preferred file system using your computer.





Eco Management

The LaCie d2 Network 2 helps you to reduce power consumption by switching to idle mode (where the disk spins off) after a determined inactivity time. Also, you can schedule a deep sleep on/off mode according your needs. Thanks to the Wake-on-LAN feature, the d2 Network 2 can be switched back to operating mode from the client side. In addition, it also integrates UPS support*** through its USB port to ensure proper shutdown in case of power failure. On top of that, its exclusive aluminum fanless heat sink design makes it your ecological partner—it's recyclable and ROHS-compliant.

Remote Access

With Automatic Port Forward, you can take advantage of UPnP-IGD/NAT-PMP compatible routers and easily access your d2 Network 2 remotely. With the Dynamic IP integration you can create your own Internet address for your NAS. Thanks to its advanced file browser based in Ajaxplorer you can also easily see, download and use your documents stored in your LaCie d2 Network 2.



ON/OFF eSATA Expansion Port Gigabit Ethernet USB 2.0 Direct Connection Port USB 2.0 Expansion Port Power connector Lock Slot

Box Content

- LaCie d2 Network 2
- Ethernet cable
- USB 2.0 cable
- External power supply
- Drive stand for upright use
- Utilities CD-ROM with software and User Manual
- Quick Install Guide

Minimum System Requirements

- Computer with an Ethernet network adapter
- Latest version of: Windows XP, Windows Vista[®], Windows Vista 64-bit, Windows 7 / Mac OS X 10.5, 10.6 / Linux 2.6
- Minimum free disk space: 600MB recommended
- Web browsers: Internet Explorer[®] 7.0, Firefox[®] 3.0, Safari[®] 3.0, or Chrome 2.0 or higher



DESIGN BY NEIL POULTON

Item Number	301504	301506	9000269	
Capacity ▼	1TB	2TB	ЗТВ	
Interfaces	1 x Gigabit Ethernet 10/100/1000 Base-TX 1 x USB 2.0 (type B)			
Expansion Ports	1 x eSATA 1 x USB 2.0 (type A)			
Burst Transfer Rate* (Over Ethernet)	OS with 64KB I/O – Read: up to 50MB/s; Write: up to 35MB/s OS with 1MB I/O – Read: up to 68MB/s; Write: up to 40MB/s			
Network Protocols	File Server: SMB, AFP, FTP, HTTP, HTTPS Others: Apple Bonjour, BitTorrent, NTP, DHCP, Apipa			
Remote Access	Via FTP or HTTP. Dynamic DNS services optional.			
Administration	Direct access to NAS using LaCie Network Assistant Customizable widget-based interface			
Backup Solutions	PC to NAS: encrypted, compressed, scheduled, remote (FTP) Data restore and data disaster recovery available NAS to DAS: via built-in copy engine			
Special Features	Hard disk quota management Time Machine compatible Print server** Torrent client for standalone downloads NTFS read and write support for external hard disk			
Security Access	Users, groups, and shares management. Private and public access. Active Directory support			
Multimedia	UPnP A/V and DLNA Media Adapter compatible Remote photo thumbnails; MP3 file streaming iTunes® (DAAP) server			
Bundled Software	LaCie Network Assistant for Windows, Mac, and Linux Genie Backup Manager Pro software for Windows Intego Backup Manager Pro software for Mac			
Environment and Power	Automatic standby mode; Scheduled ON/OFF*** Wake-on-LAN Uninterrupted Power Supply (UPS) support*** Recyclable: Aluminum, ROHS]			
Cooling System	Heat sink aluminum body Fanless			
Dimensions (WxDxH)	60 x 168 x 183 mm / 2.4 x 6.6 x 7.2 in.			
Weight	1.8 kg / 4 lbs.			
Warranty	3-year limited			

Premium 3-Year Warranty



The LaCie d2 Network 2 comes with a 3-Year Limited Warranty. For superior service, it also comes with an optional Advance Care Option, which can be purchased separately online within 30 days of the purchase date. Under the Advance Care Option, LaCie will immediately swap out the product without it needing to be returned first for minimal interruption of your workflow. LaCie covers all freight costs. Availability depends on the sales area. See www.lacie.com for details.

*Tests performed using IOZone tool in SMB file systems. PC used: Core2 Quad 2.66 GHz, 4GB RAM, Gigabit Ethernet Switch Netgear G\$108, Network Adapter Intel PRO/1000 PT Quad Port, OS Vista Professional 64-bit. Performance depends on file system used, file size, and may vary from one drive to another.
**Accessory for rack sold separately.

▼▼ OFF mode: product in standby.

^{© 2012,} LaCie. The LaCie logo is a trademark of LaCie. Other products and brand names mentioned herein may be trademarks or registered trademarks of their respective owners. Specifications and appearance are given as guidelines and may change without notice. www.lacie.com 120224











^{**}Refer to our website for list of supported printers.

*TB (Terabyte) = 1000GB. 1GB = 1,000,000,000,000 bytes. Total accessible capacity varies depending upon operating environment (typically 10–15% less).

*Refer to our website for list of supported printers.